

# M-1<sup>®</sup> Structural Adhesive/Sealant



Revision Date: 02-09-16  
Document No. SS1270

***M-1<sup>®</sup> is a versatile, moisture curing, high performance polyether adhesive sealant designed for difficult construction site conditions such as wet or dry climates.***

## **Structural Adhesive/Sealant**

- 390 pli of Shear Strength
- 370 pli of Tensile Strength
- 111 pli of Tear Strength
- 525% Elongation



- Solvent free, 100% solids will not shrink
- Non-slump, applies vertically and overhead
- 20 minute skin over
- No outgassing
- Can be applied on damp surfaces
- Good color stability, will not suntan
- Paintable within 24 hours
- Gun grade, no special tools or mixing required
- +/- 35% joint movement
- ASTM C920, Type S, Grade NS, Class 35
- Packaged in plastic cartridges & squeeze tubes
- Made in the USA - ISO 9001:2008 certified
- Full data sheets are available on our website

